

# Potential.ly Accessibility Conformance Report

## WCAG Edition

(Based on VPAT<sup>®</sup> Version 2.5)

**Name of Product: Potential.ly Platform**

**Report Date: Aug 12, 2026**

### Product Description

Potential.ly is the leading skills and career readiness platform for universities, bridging the skills gap by helping students discover and develop the skills employers want. The platform makes career readiness personal and equitable for all students, leveraging tailored software, content, professional development, and self-assessments.

**Contact Information:** [team@potential.ly](mailto:team@potential.ly)

### Evaluation Methods Used

An audit was conducted by the Potential.ly team, using self-assessment methods across various browsers with tools such as axe DevTools and ARC Toolkit complemented by an automated Playwright + axe-core suite that walks the primary learner and administrator journeys against WCAG 2.2 AA. The evaluation is focused on conformance with WCAG 2.2 AA standards and to identify and address accessibility issues

# Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guideline

| Standard/Guideline                                       | Included In Report                                  |
|----------------------------------------------------------|-----------------------------------------------------|
| <a href="#">Web Content Accessibility Guidelines 2.0</a> | Level A (Yes)<br>Level AA (Yes)<br>Level AAA (No)   |
| <a href="#">Web Content Accessibility Guidelines 2.1</a> | Level A (Yes)<br>Level AA (Yes)<br>Level AAA (No)   |
| <a href="#">Web Content Accessibility Guidelines 2.2</a> | Level A (Yes )<br>Level AA (Yes)<br>Level AAA (No ) |

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

# WCAG 2.2 Report

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

| Criteria                                                | Conformance Level  | Remarks and Explanations                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">1.1.1 Non-text Content</a> (Level A)        | Partially Supports | Text equivalents are provided for non-text elements of Potential.ly. Icon-only controls across the interface (navigation, toolbars, dialog and table actions) have been given accessible names, and decorative and embedded graphics are labelled or hidden as appropriate. The rating of partial support remains because when images are added by users, their text description must be added manually by the user in the content editor. |
| <a href="#">1.3.1 Info and Relationships</a> (Level A)  | Supports           | Forms in Potential.ly are labeled and grouped as needed, lists are marked up correctly, and other structural markup is used appropriately. Recent work corrected list structure in navigation, ensured grouped controls expose the correct roles (e.g. list/listitem and grouped form fields), and gave data-table selection controls and column headers programmatic names.                                                               |
| <a href="#">1.3.2 Meaningful Sequence</a> (Level A)     | Supports           | Content in Potential.ly is arranged in a logical reading order, maintaining a meaningful sequence.                                                                                                                                                                                                                                                                                                                                         |
| <a href="#">1.3.3 Sensory Characteristics</a> (Level A) | Supports           | Potential.ly does not depend on sensory characteristics to interpret or interact with content. Sensory information and perception are available in alternative formats.                                                                                                                                                                                                                                                                    |

|                                                                     |          |                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">1.4.1 Use of Color</a> (Level A)                        | Supports | Potential.ly does not use color as the sole visual method for conveying information; alternative means are also provided for presenting content.                                                                                                                                                                                                   |
| <a href="#">1.4.2 Audio Control</a> (Level A)                       | Supports | There is no auto-playing audio content in Potential.ly, and users have the ability to pause or stop any playing audio.                                                                                                                                                                                                                             |
| <a href="#">2.1.1 Keyboard</a> (Level A)                            | Supports | Most of Potential.ly's functionality can be operated using a keyboard without requiring specific timings. All links and most buttons are accessible and can be activated via keyboard. Recent work replaced non-semantic clickable containers (e.g. notification, evidence and message rows) with native controls, improving keyboard operability. |
| <a href="#">2.1.2 No Keyboard Trap</a> (Level A)                    | Supports | Potential.ly does not have any instances of keyboard focus becoming trapped; there are no keyboard traps present.                                                                                                                                                                                                                                  |
| <a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 and 2.2) | Supports | On Potential.ly, keyboard shortcuts are functional only when the corresponding component is in focus, and users have the option to disable or remap these shortcuts.                                                                                                                                                                               |
| <a href="#">2.2.1 Timing Adjustable</a> (Level A)                   | Supports | Potential.ly offers adjustable timeouts and does not impose any time limits.                                                                                                                                                                                                                                                                       |
| <a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)                   | Supports | Potential.ly does not feature any moving, blinking, scrolling, or auto-updating content. Users can stop or pause any moving content and automatic updates.                                                                                                                                                                                         |
| <a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)    | Supports | Potential.ly does not include any content that flashes; there is no flashing content present.                                                                                                                                                                                                                                                      |
| <a href="#">2.4.1 Bypass Blocks</a> (Level A)                       | Supports | Potential.ly maintains a logical focus order, ensuring that keyboard navigation proceeds in a manner that is both intuitive and predictable for users.                                                                                                                                                                                             |

|                                                                  |          |                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">2.4.2 Page Titled</a> (Level A)                      | Supports | The pages in Potential.ly platform have meaningful titles.                                                                                                                                                                                                                                             |
| <a href="#">2.4.3 Focus Order</a> (Level A)                      | Supports | Potential.ly maintains a logical focus order, ensuring that keyboard navigation proceeds in a manner that is both intuitive and predictable for users.                                                                                                                                                 |
| <a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)        | Supports | Links in Potential.ly feature descriptive text that conveys their purpose. The purpose of each link can be understood from the link text or its context. Note that empty or non-descriptive links can still arise from user-authored or imported content.                                              |
| <a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 and 2.2)     | Supports | Potential.ly does not use multipoint or path-based gestures for operation. Complex gestures are not required for pointer-based interaction.                                                                                                                                                            |
| <a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 and 2.2) | Supports | In Potential.ly, functionality initiated with a single pointer can be cancelled after the initial down press. Users have the option to cancel pointer actions before the action is completed.                                                                                                          |
| <a href="#">2.5.3 Label in Name</a> (Level A 2.1 and 2.2)        | Supports | In Potential.ly, labels or instructions are provided for form fields, and they are visually and programmatically linked to their respective fields. Recent work added accessible names to previously unlabeled interactive controls (icon buttons, toggle switches, selection checkboxes and dialogs). |
| <a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 and 2.2)     | Supports | Motion-based interactions are only activated by explicit user actions, preventing inadvertent triggers and maintaining a stable user experience.                                                                                                                                                       |
| <a href="#">3.1.1 Language of Page</a> (Level A)                 | Supports | Pages in Potential.ly specify the language in the HTML element, accurately identifying the page's language                                                                                                                                                                                             |
| <a href="#">3.2.1 On Focus</a> (Level A)                         | Supports | Pages in Potential.ly do not contain components that trigger a change of context upon focus; there are no unexpected changes when elements gain focus.                                                                                                                                                 |
| <a href="#">3.2.2 On Input</a> (Level A)                         | Supports | There are no instances of automatic context changes when adjusting user interface component settings in                                                                                                                                                                                                |

|                                                          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                          |          | Potential.ly; unexpected changes do not occur with user input.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <a href="#">3.2.6 Consistent Help</a> (Level A 2.2 only) | Supports | Help features, such as support options, are consistently located across all pages to ensure users can easily find assistance when needed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <a href="#">3.3.1 Error Identification</a> (Level A)     | Supports | Potential.ly clearly identifies errors in forms and other interactive components, providing users with clear feedback to help them correct mistakes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">3.3.2 Labels or Instructions</a> (Level A)   | Supports | In Potential.ly, labels or instructions are provided for form fields and are visually and programmatically linked to their respective fields. Recent work added programmatic names to toggle switches and selection controls that previously exposed no label to assistive technology.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <a href="#">3.3.7 Redundant Entry</a> (Level A 2.2 only) | Supports | Our forms are engineered to minimize redundant data entry by pre-filling information where possible, streamlining the user experience.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <a href="#">4.1.2 Name, Role, Value</a> (Level A)        | Supports | Potential.ly ensures that user interface components have properly defined names, roles, and values. A dedicated remediation pass added accessible names to icon-only buttons (navigation, editor toolbars, dialog, table and card actions), named modal dialogs, corrected invalid or prohibited ARIA usage (removing unsupported attributes, moving labels to the element that carries the role, and replacing an overridden landmark role with a native element), ensured required ARIA attributes are present on custom controls (e.g. the state of selection checkboxes and toggles), and re-implemented the notification panel as a properly named dialog rather than a menu with non-conforming children. |

## Table 2: Success Criteria, Level AA

Notes:

| Criteria                                                            | Conformance Level  | Remarks and Explanations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">1.3.4 Orientation</a> (Level AA 2.1 and 2.2)            | Supports           | Potential.ly provides a responsive design that adapts seamlessly to both portrait and landscape orientations, ensuring that all content remains fully accessible and functional across different device orientations.                                                                                                                                                                                                                                                                                                                                                        |
| <a href="#">1.3.5 Identify Input Purpose</a> (Level AA 2.1 and 2.2) | Supports           | The purpose of input fields in Potential.ly that gather user information can be programmatically identified, and the input purposes are accurately defined and implemented.                                                                                                                                                                                                                                                                                                                                                                                                  |
| <a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)                 | Partially supports | Text content in Potential.ly maintains a contrast ratio of at least 4.5:1 for normal text and 3:1 for large text. A remediation pass raised several previously low-contrast elements to meet the minimum — including secondary/muted body and form-label text, status and count badges, calendar day numbers, overlay button styles and settings text. The rating remains “Partially Supports” because some data-visualisation colour swatches and, in particular, user-generated content (uploaded images and customised elements) may still fall below the required ratio. |
| <a href="#">1.4.4 Resize text</a> (Level AA)                        | Supports           | All text in Potential.ly can be resized up to 200% without the need for assistive technology, ensuring that content and functionality remain intact.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <a href="#">1.4.5 Images of Text</a> (Level AA)                     | Supports           | Potentially prioritizes selectable text over images of text to ensure scalability and accessibility, reserving image-based text for essential cases like branding.                                                                                                                                                                                                                                                                                                                                                                                                           |
| <a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)                | Supports           | Potentially adapts its layout to reflow smoothly at a 320 CSS pixel width, preventing horizontal scrolling and maintaining functionality on smaller screens.                                                                                                                                                                                                                                                                                                                                                                                                                 |

| Criteria                                                                | Conformance Level  | Remarks and Explanations                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 and 2.2)         | Partially supports | In Potentially, buttons, icons, and other non-text elements feature a minimum 3:1 contrast ratio against their backgrounds, enhancing visibility for low-vision users; however, some graphical elements necessary for interaction or comprehension may not meet adequate contrast levels due to user-generated content, such as uploaded images or customized elements. |
| <a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 and 2.2)              | Supports           | Potentially provides the option to adjust text line height and character spacing, ensuring that text spacing aligns with WCAG recommendations.                                                                                                                                                                                                                          |
| <a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 and 2.2) | Supports           | Potentially ensures that content triggered by hover or focus, such as tooltips, remains dismissible, hoverable, and persistent until the user chooses to dismiss it.                                                                                                                                                                                                    |
| <a href="#">2.4.5 Multiple Ways</a> (Level AA)                          | Supports           | There are multiple ways to navigate Potentially, including consistent navigation options and a search function.                                                                                                                                                                                                                                                         |
| <a href="#">2.4.6 Headings and Labels</a> (Level AA)                    | Supports           | Headings and labels in Potentially convey the topic or purpose effectively. Recent work corrected heading semantics (promoting a section title to a real heading element, removing empty headings, and fixing a heading-level skip) and added labels to previously unnamed controls.                                                                                    |
| <a href="#">2.4.7 Focus Visible</a> (Level AA)                          | Supports           | Interactive controls in Potentially have a visible indication of keyboard focus, including links and buttons.                                                                                                                                                                                                                                                           |
| <a href="#">2.4.11 Focus Not Obscured (Minimum)</a> (Level AA 2.2 only) | Supports           | Potentially platform makes sure that the focus indicator remains visible and is not obscured by content. This guarantees that users can always identify the current focus location, allowing for seamless navigation and interaction with all elements on the page.                                                                                                     |
| <a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only)            | Partially supports | Potentially provides click-based or keyboard alternatives for drag-and-drop features, ensuring access for users unable to drag. However, some interactive elements or processes may lack these alternatives.                                                                                                                                                            |

| Criteria                                                                      | Conformance Level  | Remarks and Explanations                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">2.5.8 Target Size (Minimum)</a> (Level AA 2.2 only)               | Supports           | In Potential.ly, buttons, links, and form fields are designed with sufficient size and spacing to prevent accidental activation. Recent work increased the interactive target area of compact controls (e.g. table and inbox checkboxes and the password show/hide toggle) to at least 24×24 CSS pixels.                                             |
| <a href="#">3.1.2 Language of Parts</a> (Level AA)                            | Partially supports | Potential.ly ensures that the primary language for each page is clearly defined, enabling screen readers to use the correct pronunciation rules. While we do not currently mark individual language shifts within content, we are continually exploring ways to enhance our accessibility features to support multilingual content more effectively. |
| <a href="#">3.2.3 Consistent Navigation</a> (Level AA)                        | Supports           | Navigation is consistent across pages in Potential.ly. Distinct navigation landmarks (primary, secondary and administrative) now carry unique accessible names so assistive technology can tell them apart.                                                                                                                                          |
| <a href="#">3.2.4 Consistent Identification</a> (Level AA)                    | Supports           | Components with the same functionality in Potential.ly are uniformly labeled across all pages.                                                                                                                                                                                                                                                       |
| <a href="#">3.3.3 Error Suggestion</a> (Level AA)                             | Supports           | When users make input mistakes in Potential.ly's forms, the platform provides clear, actionable suggestions to correct errors, supporting users with diverse needs.                                                                                                                                                                                  |
| <a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)    | Supports           | Potential.ly does not manage legal or financial transactions, allows users to undo profile changes, and includes error prevention for critical actions.                                                                                                                                                                                              |
| <a href="#">3.3.8 Accessible Authentication (Minimum)</a> (Level AA 2.2 only) | Supports           | Authentication processes in Potential.ly are designed to reduce cognitive challenges by allowing the use of assistive tools such as password managers and providing alternative verification methods where applicable.                                                                                                                               |
| <a href="#">4.1.3 Status Messages</a> (Level AA 2.1 and 2.2)                  | Supports           | In Potential.ly, components programmatically deliver status messages without needing focus. Recent work gave loading/progress indicators accessible names so their busy state is announced to assistive technology.                                                                                                                                  |



# Assumptions and Limitations

## Assumptions:

1. **Sample Pages:** Testing was conducted on a representative sample of pages, and it is assumed that similar issues might occur throughout the platform. Due to practical constraints, only a detailed subset of pages was tested rather than the entire site.
2. **Assistive Technologies:** It is assumed that users who rely on assistive technologies (e.g., screen readers, magnifiers) will experience the same issues observed during testing.
3. **Screen Reader Usage:** The audit focuses on accessibility issues that primarily affect screen reader users, emphasizing the importance of accurate labels, appropriate ARIA roles, and ensuring all interactive elements are keyboard-accessible.
4. **Color Contrast and Visual Impairments:** It is assumed that users with visual impairments require sufficient color contrast and larger text sizes to access content effectively.
5. **Keyboard Navigation:** The testing assumes that many users will navigate using keyboards instead of a mouse, reflecting the needs of those with mobility impairments.
6. **User-Generated Content:** Users have the ability to edit and manipulate content on Potential.ly. It is assumed that such modifications—affecting aspects like contrast ratios, alt-text descriptions, and focus indicators—might introduce additional accessibility challenges.

## Limitations:

1. **Partial Coverage:** The audit covers only selected sample pages; other sections of the platform might contain additional accessibility issues not identified in this report.
2. **Incomplete Issue Identification:** Despite comprehensive testing efforts, some problems, especially on deeper or less frequently used pages, may have been missed.
3. **Over-Reliance on ARIA:** Some issues stem from excessive reliance on ARIA attributes, which can complicate accessibility. Native elements are recommended wherever possible.
4. **Multimedia Accessibility:** While the audit highlights multimedia issues such as missing captions and audio descriptions, it does not extend to providing transcripts or solutions for more complex interactive elements.

5. **Technological Dependence:** Testing was conducted using specific browsers and versions of assistive technologies, which might limit the applicability of these findings across all user environments.

## **Legal Disclaimer (Potentially Limited)**

The Potential.ly Platform is a product of Potentially Limited. All content hosted or linked by users on the Potential.ly Platform is the sole responsibility of the individual who created it. Potentially Limited does not oversee, endorse, or take responsibility for third-party content.

The information in this document is provided in good faith, reflecting the status of the Potential.ly Platform at the time of review. It does not constitute a legally binding statement. While Potentially Limited endeavours to ensure the accuracy of the information in this Conformance Report, we cannot guarantee that it will remain accurate after the publication date. Potentially Limited actively monitors product accessibility and provides updates periodically.

Potentially Limited accepts no liability for any errors in this document. Any changes or customizations to the product may render portions or all of this Conformance Report inaccurate. This Conformance Report is offered "as is" and is intended solely for informational purposes.

Reproduction of this document, in whole or in part, is prohibited without the written consent of Potentially Limited.